

**IV/Picks Veterinary Services
2418 Don Felipe Rd SW
Albuquerque, NM 87105
(505) 881-9245**

March 19, 2020

Patient: Greenbrier

Owner: Tom McKinna

Procedure: Arthroscopy: left middle carpal joint; routine castration

Surgical Description:

The patient was placed in dorsal recumbency. The left middle carpal joint was explored and fragmentation was removed from the distal aspect of the radial carpal bone. The remaining cartilage was free of lesions. Upon completion of the exploration, the limb was bandaged, portals sutured and amikacin placed into the joint. The limb was bandaged for recovery which was uneventful. A routine castration was then performed.

Take Home Instructions:

1. Keep confined to a small stall and change the bandage every 2 to 3 days. The bandage consists of a telfa pad, cast padding, vet wrap and elasticsearch.
2. **Phenylbutazone: give 2 grams by mouth once daily for 5 days.**
3. **Equisol: give 27 cc by mouth twice daily for 5 days**
4. Remove sutures on or around April 2, 2020. **Please prep the sutures like a joint prior to removal and place a light bandage on the limb after suture removal for 2 days.**
5. Once the bandages are removed, I would begin passively flexing the limbs 30 times twice a day.

Comments: Recommend a total of 4 to 6 months off prior to return to training. After 30 days in a pen, he may have access to a larger turn out.

Please call with any questions or concerns.

Sincerely,

Wendy Ray-Miller DVM, MS, DACVS
575-642-7222